

04/18/00
jc682 U.S. PTO

OSTROLENK, FABER, GERB & SOFFEN, LLP
Attorneys at Law
1180 Avenue of the Americas
New York, New York 10036-8403
(212) 382-0700

Telex
23 6925
Facsimile
(212) 382-0888

Cable
Ostrofaber NewYork

Express Mail #EL008135105US

Asst. Commissioner for Patents
Washington, DC 20231

OFGS File No. : P/1909-130
Inventor : Yoshihiro KOTA
Title : MEMORY ADDRESS SPACE EXTENSION DEVICE AND STORAGE
MEDIUM STORING THEREIN PROGRAM THEREOF
Assignee : NEC Corporation

Enclosed herewith please find the following documents in the above-identified application for United States Letters Patent:

95 Pages of Specification including Abstract and Claims
293 Numbered Claims Calculated as 293 Claims for Fee Purposes
8 Sheets of Drawing Containing Figures 1 to 11.
X Declaration and Power of Attorney
X Priority is Claimed under 35 U.S.C. §119:
Convention Date April 20, 1999 for Japan appln. S.N. 11-112368
Convention Date January 19, 2000 for Japan appln. S.N. 2000-014102
X Two Certified Priority Applications
 Verified Statement Claiming Small Entity Status under 37 C.F.R. §1.27.
X Assignment
X Return-Addressed Post Card

OFGS Check No. 93423, which includes the fee of \$5,722.00, calculated as follows:

Basic Filing Fee:	\$ 690.00
Additional Filing Fees:	
Total Number of Claims in Excess of 20, times \$18:	4,914.00
Number of Independent Claims in Excess of 3, times \$78:	78.00
One or More Multiple Dependent Claims: Total \$260.	
Total Filing Fees or	5,682.00
Total Filing Fee Reduced 50% for Small Entity:	
Assignment Recording Fee: \$40	40.00
TOTAL Filing Fee and Assignment Recording Fee:	<u>\$5,722.00</u>

In the event the actual fee is greater than the payment submitted or is inadvertently not enclosed, or if any additional fee during the prosecution of this case is not paid, the Patent and Trademark Office is authorized to charge the underpayment to Deposit Account No. 15-0700.

EXPRESS MAIL CERTIFICATE

Respectfully submitted,

I hereby certify that this correspondence is being deposited with the United States Postal Service as Express Mail Post Office to Addressee (mail label #EL008135105US) in an envelope addressed to: Asst. Commissioner for Patents, Washington, D.C. 20231, on April 18, 2000:

Dorothy Jenkins
Name of Person Mailing Correspondence

Dorothy Jenkins
Signature
April 18, 2000
Date of Signature

Steven I. Weisburd
Steven I. Weisburd
Registration No.: 27,409
OSTROLENK, FABER, GERB & SOFFEN, LLP
1180 Avenue of the Americas
New York, New York 10036-8403
Telephone: (212) 382-0700

MEMORY ADDRESS SPACE EXTENSION DEVICE AND STORAGE MEDIUM STORING THEREIN PROGRAM THEREOF

BACKGROUND OF THE INVENTION

The present invention relates to a memory address space extension device and a storage medium storing therein a program thereof in which the memory address space extension device converts a CPU
5 (central processing unit) address into an extended address and the program executes processing memory address space extension.

Description of the Prior Art

A conventional memory address extension device includes a register bank in every task. The register bank consists of a plurality of
10 page registers which are combined therewith. The page register stores therein CPU (central processing unit) address and upward address of extended address which is broader than the CPU address. When task switch occurs, the memory address extension device extends memory address space in such a way of causing the register bank to be switched.

15 However, in the conventional technique described above, on the supposition that there exists a data to which only certain task accesses. However, another task capable of accessing such the data to which only determined certain task should access. Therefore, there is the problem that the data which should only be accessed by the determined certain
20 task is capable of being rewritten wrongly by the another task.

SUMMARY OF THE INVENTION

In view of the foregoing, it is an object of the present invention, in order to overcome the above mentioned problem, to provide a memory
25 address space extension device and a storage medium storing therein a program thereof which enable rewrite data wrongly according to task to be prevented in order to protect the data.

It is another object of the present invention, to provide a memory address space extension device and a storage medium storing therein a program thereof enable the data to which only certain task should access to be prevented from accessing wrongly by interruption processing to such
5 the data in order to protect it.

According to a first aspect of the present invention, in order to achieve the above mentioned object, there is provided a memory address space extension device which comprises a definition table for defining an access right of a task ID (identification) with respect to a data area, a task
10 ID register for storing therein the task ID of a task during execution, an extraction means for extracting a data area ID from a CPU (central processing unit) address inputted previously, a judgement means for judging as to whether or not it is capable of being permitted that the task during execution indicated by the task ID accesses the data area
15 indicated by the data area ID while referring to the definition table from both of data area ID extracted previously and the task ID stored in the task ID register.

According to a second aspect of the present invention, in the first aspect, there is provided a memory address space extension device,
20 wherein there are provided an address operational means for converting the CPU address into an extended address, and a memory having the extended address converted previously, when the judgement means judges that judgement result according to the judgement means is a result that the task during execution accesses the data area, the address
25 operational means executes the conversion processing.

According to a third aspect of the present invention, in the first aspect, there is provided a memory address space extension device, wherein, as to the definition table, it causes combination that access is permissible or in-permissible with respect to read and / or write to the
30 data area respectively to be defined.

According to a fourth aspect of the present invention, in the first aspect, there is provided a memory address space extension device, wherein there is provided a forming means for forming said definition table.

5 According to a fifth aspect of the present invention, there is provided a storage medium for storing therein a program in order to execute the processing of a storing processing for storing a task ID of a task during execution, an extraction processing for extracting a data area ID from a CPU address inputted previously, and a processing for judging
10 as to whether or not it is capable of being permitted that the task during execution indicated by the task ID accesses the data area indicated by the data area ID while referring to the definition table from both of data area ID extracted previously and the task ID stored in the task ID register.

 According to a sixth aspect of the present invention, in the fifth
15 aspect, there is provided a storage medium for storing therein a program, wherein the program executes the processing of an address operational processing for converting the CPU address into an extended address when judgement result according to the judgement processing is that the task is permitted that the task during execution accesses the data area.

20 According to a seventh aspect of the present invention, in the sixth aspect, there is provided a memory address space extension device which comprises a definition table for defining an access right of a task with respect to a data area, and an access right judgement means for judging whether or not it causes the access right to the data area which the task
25 requests to be given with respect to the task according to the definition table.

 According to an eighth aspect of the present invention, in the seventh aspect, there is provided a memory address space extension device, wherein the definition table defines as to whether or not the task
30 possesses an access right for accessing prescribed data area in every task

ID given to the task.

According to a ninth aspect of the present invention, in the seventh aspect, there is provided a memory address space extension device, wherein the definition table defines as to whether or not said task
5 possesses an access right for accessing prescribed data area in every task ID given to the task and / or in every interruption number given to interruption processing.

According to a tenth aspect of the present invention, in the seventh or eighth aspect, there is provided a memory address space extension
10 device, wherein the access right judgement means judges whether it causes the access right to the data area requested by the task to be given according to the task ID, and the data area ID indicating the data area requested by the task.

According to an eleventh aspect of the present invention, in the
15 seventh or ninth aspect, there is provided a memory address space extension device, wherein the access right judgement means judges whether it causes the access right to the data area requested by the task to be given according to any one of the task ID and the interruption processing number, and according to the data area ID indicating the data
20 area requested by the task.

According to a twelfth aspect of the present invention, in any one of the seventh to the eleventh aspects, there is provided a memory address space extension device, wherein the definition table defines whether or not it causes access to be permitted with respect to the
25 prescribed data area in every the task.

According to a thirteenth aspect of the present invention, in any one of the seventh to the eleventh aspects, there is provided a memory address space extension device, wherein the definition table defines any one of:

30 (1) causing only write of the data to be permitted;

- (2) causing read of the data to be permitted;
- (3) causing write of the data and read of the data to be permitted;
and
- (4) causing no-access to be permitted,

5 with respect to the prescribed data area in every said task.

According to a fourteenth aspect of the present invention, in any one of the ninth, the eleventh, the twelfth, and the thirteenth aspects, there is provided a memory address space extension device, wherein there is further provided an interruption number generation means for
10 generating interruption number with respect to interruption processing according to hardware.

According to a fifteenth aspect of the invention, in any one of the ninth, the eleventh, the twelfth, the thirteenth, and the fourteenth aspects, there is provided a memory address space extension device,
15 wherein there is further provided an interruption number decoding means for decoding an interruption number from an interruption instruction with respect to the interruption instruction according to software.

According to a sixteenth aspect of the present invention, in any
20 one of the seventh to the fifteenth aspects, there is provided a memory address space extension device, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory having the extended address converted previously wherein the address operational means causes the CPU
25 address to be converted into the extended address when the task is permitted to access to the data area according to the access right judgement means.

According to a seventeenth aspect of the present invention, in any one of the seventh to the sixteenth aspects, there is provided a memory
30 address space extension device wherein there is further provided a

definition table forming means for forming the definition table.

According to an eighteenth aspect of the present invention, there is provided a storage medium storing therein a program in order to execute the processing of a definition table preparation processing for preparing a definition table, a reference processing for the sake of the definition table which defines an access right of a task with respect to data area, and an access right judgement processing for judging whether or not it causes the access right for the data area requested by a task to be given to the task according to the definition table.

According to a nineteenth aspect of the present invention, in the eighteenth aspect, there is provided a storage medium storing therein a program, wherein the reference processing for definition table is the reference processing that it causes the definition table defining whether or not the task possesses the access right for accessing prescribed data area to be seen in every task ID given to the task.

According to a twentieth aspect of the present invention, in the eighteenth aspect, there is provided a storage medium storing therein a program, wherein the reference processing for definition table is the reference processing that it causes the definition table defining whether or not the task possesses the access right for accessing prescribed data area to be seen in every task ID given to the task and / or in every interruption number given to the interruption processing.

According to a twenty-first aspect of the present invention, in the eighteenth or nineteenth aspects, there is provided a storage medium storing therein a program, wherein the access right judgement processing judges whether or not the task possesses the access right for accessing prescribed data area according to the task ID and / or the data area ID indicating the data area requested by the task.

According to a twenty-second aspect of the present invention, in the eighteenth or the twentieth aspect, there is provided a storage

medium storing therein a program, wherein the access right judgement processing judges whether or not the task possesses the access right for accessing prescribed data area according to any one of the task ID and the interruption processing number and / or the data area ID indicating the data area requested by the task.

According to a twenty-third aspect of the present invention, in any one of the eighteenth to the twenty-second aspects, there is provided a storage medium storing therein a program, wherein the reference processing for definition table is the reference processing that it causes the definition table defining whether or not the task possesses the access right for accessing prescribed data area to be seen in every the task.

According to a twenty-fourth aspect of the present invention, in any one of the eighteenth to the twenty-second aspects, there is provided a storage medium storing therein a program, wherein the program executes the reference processing for definition table, which is the reference processing that it causes any one of:

- (1) allowing only write of the data to be permitted;
- (2) allowing read of the data to be permitted;
- (3) allowing write of the data and read of the data to be permitted;

and

(4) allowing no-access to be permitted,
to be seen with respect to the prescribed data area in every the task.

According to a twenty-fifth aspect of the present invention, in any one of the twentieth, the twenty-second, the twenty-third, and the twenty-fourth aspects, there is provided a storage medium storing therein a program, wherein the program further executes interruption number generation processing for generating interruption number to interruption processing according to hardware.

According to a twenty-sixth aspect of the present invention, in any one of the twentieth, the twenty-second, the twenty-third, the twenty-

fourth, and twenty-fifth aspects, there is provided a storage medium storing therein a program, wherein the program further executes interruption number decoding processing for decoding interruption number from interruption instruction with respect to said interruption instruction according to software.

According to a twenty-seventh aspect of the present invention, in any one of the eighteenth to the twenty-sixth aspects, there is provided a storage medium storing therein a program, wherein the program executes an address operational processing in order to convert a CPU address into an extended address in such a way that the address operational processing causes the CPU address to be converted into the extended address when the task is judged that the task is permitted to access to the data area according to the access right judgement processing, before executing storage processing of the converted address into a memory.

The above and further objects and novel features of the invention will be more fully understood from the following detailed description when the same is read in connection with the accompanying drawings. It should be expressly understood, however, that the drawings are for purpose of illustration only and are not intended as a definition of the limits of the invention.

BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 is a first block diagram showing a configuration of a memory address space extension device in an embodiment of the present invention;

Fig. 2 is a block diagram showing a configuration of an address operational unit in the embodiment of the present invention;

Fig. 3 is a constitution view showing register bank selection table in the embodiment of the present invention;

Fig. 4 is a first data area access right definition table in the

embodiment of the present invention;

Fig. 5 is a constitution view in the case of forming execution form file from data class definition file in the embodiment of the present invention;

5 Fig. 6 is a second data area access right definition table in the embodiment of the present invention;

Fig. 7 is a second block diagram showing a configuration of the memory address space extension device in the embodiment of the present invention;

10 Fig. 8 is a third data area access right definition table in the embodiment of the present invention;

Fig. 9 is a fourth data area access right definition table in the embodiment of the present invention;

15 Fig. 10 is a flowchart explaining a first operation of the memory address space extension device in the embodiment of the present invention; and

Fig. 11 is a flowchart explaining a second operation of the memory address space extension device in the embodiment of the present invention.

20

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

A preferred embodiment of the present invention will be described in detail accompanying the drawings.

25 Fig. 1 is a block diagram showing a first embodiment of a memory address space extension device according to the present invention.

In Fig. 1, the memory address space extension device comprises a CPU1 having a certain address space, a memory 2 having extended address which is broader address space than that of the CPU1, and a memory management unit (hereinafter referred to as MMU) 3.

30 The MMU3 consists of a task ID register 4 storing therein the task

ID of a task with execution conditions, and an address operational unit 5 converting a CPU address into an extended address.

Fig. 2 is a constitution of the address operational unit 5 of Fig. 1.

In Fig. 2, the address operational unit 5 consists of a page register 5 7 for storing page register data necessary for calculating the extended address, a plurality of register banks 6 which are combined to be constituted by a plurality of the page registers 7, a register bank control unit 8 for obtaining register bank number from both of data area ID which is a part of the CPU address and task ID, and a cache 9.

10 The cache 9 accommodates both of a register bank selection table 10 as shown in Fig. 3 and a data area access right definition table 11 as shown in Fig. 4.

(FIRST OPERATION)

Next, there will be explained operation.

15 The address operational unit 5 inputs therein the CPU address from the CPU1. The CPU address consists of data area ID, register bank address, and offset address.

The address operational unit 5 decomposes the inputted CPU address into above data area ID, a register bank address, and an offset in order to extract thereof (STEP S102). Next, a register bank control unit 8 refers to the data area access right definition table 11 existing in the cache 9. The task ID is stored in the task ID register 4. It causes the access right for the data area to be requested to the task during execution from both of the task ID stored in the task ID register 4 and the data area 20 ID which is extracted (STEP S103). When the access is not permitted (STEP S103/NO), the access is not executed to the data area, thus system error occurs (STEP S105).

When the access is permitted (STEP S103/YES), it causes the register bank number of the data area which is attempted to access to be 30 obtained while referring to the register bank selection table 10 existing in

the cache 9 (STEP S104). The address operational unit 5 fetches a page register data stored in the page register while selecting the page register from the register bank address. The address operational unit 5 obtains an extended address from the register bank number obtained previously,
 5 the page register, and the offset address (STEP S106).

According to such procedure, it is capable of preventing data area from wrongly accessing by the task which is not permitted the access. Consequently, it is capable of protecting the data from accessing wrongly by the task which is not permitted accessing thereto.

10 Next, there will be described operation of the present embodiment while using concrete example.

As shown in Fig. 5, a linker / locator 12 forms an execution form file from among an object file, a data class causing a plurality of data to be gathered, and a data class definition file causing access right of such data
 15 class to be defined (STEP S100). On this occasion, the data class arranges the same data while putting them in order. Further, as shown in Fig. 4, on the supposition that the task ID includes the tasks 1, 2, 3, and 4, and the data areas A, B, and C exist. The access right of respective tasks for the respective data areas is shown in Fig. 4.

20 Firstly, on the occasion of the initialization, it causes both of a register bank selection table 10 and a data area access right definition table 11 to be formed in the cache 9 (STEP S101).

The CPU 1 executes data access instruction. On this occasion, the address operational unit 5 decomposes the CPU address into the data
 25 area ID, the register bank address, and the offset (STEP S102). Next, a register bank control unit 8 refers to the data area access right definition table 11 existing in the cache 9. The register bank control unit 8 requests the access right for the data area with respect to the task during execution from both of the task ID stored in the ID register 4 and the
 30 above described data area ID (STEP S103).

As shown in Fig. 4, when the task whose task ID is 1 (one) attempted to read the data existing in the data area B, since the access right is not permitted (STEP S103 / NO), the access to the data area B is not executed, thus the system error occurs (STEP S105). When the task
 5 whose task ID is 1 (one) attempted to rewrite the data existing in the data area A, since the access right is permitted (STEP S103 / YES), it causes the register bank number of the data area attempting to access to be obtained while referring to the register bank selection table 10 existing in the cache 9 (STEP S104).

10 The address operational unit 5 selects the page register from the register bank number obtained previously and the register bank address, thus obtaining the extended address from both of the page register data stored in the register bank address and the offset address (STEP S106).

(SECOND OPERATION)

15 Fig. 6 shows constitution of the data area access right definition table 11 according to the second embodiment of the present invention. Furthermore, the constitution of the memory address space extension device is the same as that of Fig. 1.

In the first embodiment, the access right of the data area access
 20 right definition table 11 of Fig. 4 is only “permissible” or “in-permissible”. However, in the present embodiment, as shown in Fig.6, there are four kinds of the access right of the data area access right definition table 11. The four kinds of the access rights are “readable, in-writable”, “in-readable, writable”, “readable, writable”, and “in-readable, in-writable”.
 25 These points are different from the first embodiment.

Next, there will be explained operation of the present embodiment using concrete example.

When the task whose task ID is 1 (one) attempted to read the data existing in the data area B, since the access right of the data area access
 30 right definition table 11 of Fig. 6 is impermissible, it causes the access for

the data area B to be not implemented, thus the system error occurs. While when the task whose task ID is 1 (one) attempted to rewrite the data existing in the data area A, since the access right of the data area access right definition table 11 of Fig. 6 is permissible, it causes the
 5 register bank number to be obtained while referring to the register bank selection table 10 existing in the cache 9.

Further, a storage unit such as ROM (read only memory) and so forth storing therein a program in a computer system constitutes the memory address space extension device of Fig. 1. Thus the storage unit
 10 of the ROM and so forth constitutes a storage medium according to the present invention. The storage medium stores therein the program indicating processing in order to execute operation described in the above respective embodiment.

It is capable of being used an optical disk, a magneto-optical disk,
 15 a magnetic recording medium, a semiconductor memory, and so forth as the storage medium.

(THIRD OPERATION)

Fig. 7 is a second block diagram showing constitution of the memory address space extension device in the embodiment of the present
 20 invention. The memory address space extension device shown in Fig. 7 comprises a CPU 71, a memory 72, a memory management unit (MMU) 73, and an interruption control unit (ICU) 76.

The CPU 71 possesses prescribed address space. The memory 72 possesses an extended address which is address space broader than
 25 address space which the CPU 71 possesses.

Further, the memory management unit (MMU) 73 consists of a task ID register 74, an address operational unit 75, and a decoder 77.

The task ID register 74 accommodates task ID of a task which is effective condition. The task ID register 74 accommodates an
 30 interruption number of interruption processing during execution too.

The address operational unit 75 converts the CPU address into the extended address. The interruption control unit (ICU) 76 produces interruption according to hardware.

Fig. 7 shows the memory address space extension device. Operation in which it causes the extended address to be obtained will be explained in detail referring to Figs. 2, 3, 5, 7, and 11. The extended address is obtained with respect to the task that is under the condition that access in relation to a certain data area is not permitted. The extended address is also obtained with respect to the task which is under the condition that access is permitted, while preventing wrong access according to interruption processing.

As shown in Fig. 5, on the inside of the memory address space extension device, the linker / locator forms the execution form file from among the object file, the data class in which a plurality of data is gathered, the data class definition file which defines the access right of such the data class (STEP S110). On this occasion, the data whose data class is identical therewith is arranged while collecting.

Fig. 8 is a third data area access right definition table in the embodiment of the present invention. As shown in Fig. 8, with respect to the present embodiment, on the supposition that the task of "101", "102", "103", and "104" exists as the task ID, the interruption processing of "1", "2", and "3" exists as the interruption number. Further, on the supposition that there exists "area A", "area B", and "area C" as the data area.

The interruption processing of the interruption numbers "1" and "2" is taken to be the interruption processing according to software. The interruption processing of the interruption number "3" is taken to be the interruption processing according to hardware.

The memory address space extension device shown in Fig. 7 forms the register bank selection table shown in Fig. 3 to the cache 11 on the

occasion of initialization. The memory address space extension device also forms the data area access right definition table shown in Fig. 8 to the cache 11 on the occasion of initialization (STEP S111).

When the system operates, OS (Operating System) accommodates
 5 the task ID of the task which is under effective condition into the task ID register 74. When the task switch occurs, the OS accommodates the task ID which becomes effective condition according to the task switch into the task ID register 74.

The interruption according to hardware occurs during system
 10 operation. On this occasion, the interruption control unit (ICU) 76 produces interruption number. The produced interruption number is accommodated in the task ID register.

The CPU 71 causes the interruption instruction according to the software to be executed. On this occasion, the interruption number
 15 which is decoded by the decoder 77 is accommodated in the task ID register 74.

Furthermore, when the instruction for returning from the interruption processing is executed, the CPU 71 accommodates the task ID of the task which is in the effective condition immediately before
 20 execution of the interruption processing into the task ID register 74.

The address operational unit 75 decomposes the CPU address inputted from the CPU 71 into the data area ID, the register bank address, and the offset (STEP S112).

The register bank control unit 8 in the address operational unit 75
 25 refers to a data area access right definition table 81 shown in Fig. 8 accommodated the cache 11 according to the task ID stored in the task ID register, or the interruption number and the above described data area ID, thus the register bank control unit 8 requests the access right for the data area with respect to the task during execution (STEP S113).

30 When the interruption processing of the interruption number "1"

is attempted to read the data existing in the area "B", the interruption processing of the interruption number "1" does not possess such the access right according to the data area access right definition table shown in Fig. 8 (STEP S 113 / NO).

- 5 Consequently, the memory address space extension device shown in Fig. 7 does not execute the access to the data area "B". Namely, the interruption processing of the interruption number "1" described above becomes the system error (STEP S115).

When the interruption processing of the interruption number "1" is attempted to rewrite the data existing in the area "A", the interruption processing of the interruption number "1" is permitted about the access to the data area "A" according to the data area access right definition table 81 shown in Fig. 8 (STEP S113 / YES). Consequently, the register bank control unit 8 refers to the register bank selection table 12 within the cache 11 shown in Fig. 3. The register bank control unit 8 requests the register bank number of the data area [area "A"] which is attempted to access by the above interruption processing (the interruption processing of the interruption number "1") (STEP S114).

The address operational unit 75 selects a page register 7 from among the above register bank number, and the above register bank address. The address operational unit 75 obtains the extended address from among the page register data stored in the page register 7, and the above described offset address (STEP S116).

Furthermore, a storage unit such as ROM (read only memory) and so forth storing therein a program in a computer system constitutes the memory address space extension device of Fig. 7. Thus the storage unit of the ROM and so forth constitutes a storage medium according to the present invention. The storage medium stores therein the program indicating processing in order to execute operation described in the above respective embodiment.

It is capable of being used an optical disk, a magneto-optical disk, a magnetic recording medium, a semiconductor memory, and so forth as the storage medium.

According to the first operational example described above, the task ID register stores therein the task ID of the task during execution. Consequently, in the case of the interruption processing, value of the task ID register is not changed. For that reason, the interruption processing becomes capable of accessing to the data to which only predetermined certain task accesses.

Namely, according to the above described first operational example, there exists a data to which only prescribed task is permitted to access. It is incapable of preventing that the wrong interruption processing accesses to such the data.

However, according to the above described third operational example, it causes wrong access to be prevented from the task that the access is not permitted with respect to certain data area. Further, it becomes possible to prevent wrong access according to the interruption processing with respect to certain data area. As a result thereof, reliability of the data is improved in the above data area.

(FOURTH OPERATION)

Fig. 8 is view showing the fourth data area access right definition table in the embodiment of the present invention. Hereinafter, there will be described operation of preventing wrong access referring to Figs. 2, 7, and 9. The memory address space extension device shown in Fig. 7 enable the wrong access to be prevented from the task which is not permitted access with respect to certain data area. Also, the memory address space extension device enable wrong access according to the interruption processing to be prevented.

Furthermore, the fourth operational example differs from the third operational example described above. The different point is

processing concerning the access right judgement of either the task during execution or the interruption processing (processing of STEP S113 shown in Fig. 11). Thus, there will be described with respect to this processing.

5 The fourth operational example differs from the third operational example in the data area access right definition table. The data area access right definition table 81 shown in Fig. 8 indicates area to which the access right is permitted in every task ID, or in every interruption number.

10 By contrast, the data area access right definition table 91 shown in Fig. 9 defines the access right with respect to the area that it is capable of executing only write of the data in every task ID, or in every interruption number (In Fig. 9, referred to as "W"). The data area access right definition table defines the access right with respect to the area that it is
15 capable of executing only read of the data (In Fig. 9, referred to as "R"). The data area access right definition table defines the access right with respect to the area that it is capable of executing both of read of the data, and write of the data (In Fig. 9, referred to as "RW").

 According to Fig. 9, the interruption processing of the interruption
20 number "1" (one), in the case of attempting to read the data existing in the data area "B", the access right is not recognized (according to Fig. 9, defined as "×"). Consequently, the memory address extension device shown in Fig. 7, does not execute access with respect to the data area "B", but it causes the operation to be terminated as the system error.

25 According to Fig. 9, the interruption processing of the interruption number "1" (one), in the case of attempting to read the data existing in the data area "A", the access right is recognized (according to Fig. 9, defined as "R"). Consequently, the memory address space extension device shown in Fig. 7 refers to the register bank selection table 12 existing in
30 the cache 11 shown in Fig. 3, before requesting the register bank number

of the data area "A" to which the interruption processing of the above interruption number "1" attempts to access.

Furthermore, the storage unit such as ROM (read only memory) and so forth storing therein the program in the computer system constituting the memory address space extension device of Fig. 7 constitutes the storage medium according to the present invention. The storage medium stores therein the program indicating processing in order to execute operation explained on the respective embodiments described-above.

It is capable of being used an optical disk, a magneto-optical disk, a magnetic recording medium, a semiconductor memory, and so forth as the storage medium.

The fourth operational example is compared with the above third operational example. According to the fourth operational example, it becomes possible to implement more detailed access restriction in every task, or in every interruption processing. As a result thereof, reliability of the data is further improved.

As described above according to the present invention, there is provided the table of defining that the access right is permissible or the access right is in-permissible by the task with respect to certain data area. Thus, it is capable of preventing wrong access from the task with respect to a certain data area. For that reason, it is capable of protecting the data of the area, thus, it is capable of improving the reliability of the data.

Further, according to the present invention, there is provided the table of defining that the access right is permissible or the access right is in-permissible by the task with respect to certain data area or the interruption processing. Thus, it is capable of preventing wrong access from the task with respect to a certain data area and / or the interruption processing. For that reason, it is capable of protecting the data of the area, thus, it is capable of improving the reliability of the data.

Furthermore, in the above described definition table, it causes combination that the read, and the write with respect to the data area are permissible or in-permissible respectively to be defined, thus it is capable of executing fine-grained control in answer to the inputted CPU data.

- 5 While preferred embodiments of the invention have been described using specific terms, the description has been for illustrative purposes only, and it is to be understood that changes and variations may be made without departing from the spirit or scope of following claims.

WHAT IS CLAIMED IS:

1. A memory address space extension device comprising:
 - a definition table defining an access right of a task ID (identification) with respect to data area;
 - a task ID register for storing therein the task ID of a task during

5 execution;
 - an extraction means for extracting a data area ID from a CPU (central processing unit) address inputted previously;
 - a judgement means for judging as to whether or not it is capable of

10 being permitted that the task during execution indicated by the task ID accesses the data area indicated by the data area ID while referring to said definition table from both of data area ID extracted previously and the task ID stored in said task ID register.

2. A memory address space extension device as claimed in claim 1, wherein there are provided an address operational means for converting said CPU address into an extended address, and a memory having the extended address converted previously, when said judgement means

5 judges that judgement result according to said judgement means is a result that the task during execution accesses the data area, said address operational means executes said conversion processing while causing said memory with extended address to support.

3. A memory address space extension device as claimed in claim 1, wherein, as to said definition table, it causes combination that access is permissible or in-permissible with respect to read and / or write to said data area respectively to be defined.

4. A memory address space extension device as claimed in claim 1, wherein there is provided a preparation means for preparing said

7, wherein said definition table defines as to whether or not said task possesses an access right for accessing prescribed data area in every task ID given to the task.

9. A memory address space extension device as claimed in claim 7, wherein said definition table defines as to whether or not said task possesses an access right for accessing prescribed data area in every task ID given to the task and / or in every interruption number given to interruption processing.

10. A memory address space extension device as claimed in claim 7, wherein said access right judgement means judges whether it causes the access right to the data area requested by said task to be given according to said task ID, and the data area ID indicating the data area requested by said task.

11. A memory address space extension device as claimed in claim 8, wherein said access right judgement means judges whether it causes the access right to the data area requested by said task to be given according to said task ID, and the data area ID indicating the data area requested by said task.

12. A memory address space extension device as claimed in claim 7, wherein said access right judgement means judges whether it causes the access right to the data area requested by said task to be given according to any one of said task ID and said interruption processing number, and according to the data area ID indicating the data area requested by said task.

13. A memory address space extension device as claimed in claim

9, wherein said access right judgement means judges whether it causes the access right to the data area requested by said task to be given according to any one of said task ID and said interruption processing number, and according to the data area ID indicating the data area requested by said task.

14. A memory address space extension device as claimed in claim 7, wherein said definition table defines whether or not it causes access to be permitted with respect to said prescribed data area in every said task.

15. A memory address space extension device as claimed in claim 8, wherein said definition table defines whether or not it causes access to be permitted with respect to said prescribed data area in every said task.

16. A memory address space extension device as claimed in claim 9, wherein said definition table defines whether or not it causes access to be permitted with respect to said prescribed data area in every said task.

17. A memory address space extension device as claimed in claim 10, wherein said definition table defines whether or not it causes access to be permitted with respect to said prescribed data area in every said task.

18. A memory address space extension device as claimed in claim 11, wherein said definition table defines whether or not it causes access to be permitted with respect to said prescribed data area in every said task.

19. A memory address space extension device as claimed in claim 12, wherein said definition table defines whether or not it causes access to be permitted with respect to said prescribed data area in every said task.

20. A memory address space extension device as claimed in claim 13, wherein said definition table defines whether or not it causes access to be permitted with respect to said prescribed data area in every said task.

21. A memory address space extension device as claimed in claim 7, wherein said definition table defines any one of:

- (1) causing only write of the data to be permitted;
 - (2) causing read of the data to be permitted;
 - 5 (3) causing write of the data and read of the data to be permitted; and
 - (4) causing no-access to be permitted,
- with respect to said prescribed data area in every said task.

22. A memory address space extension device as claimed in claim 7, wherein said definition table defines any one of:

- (1) causing only write of the data to be permitted;
 - (2) causing read of the data to be permitted;
 - 5 (3) causing write of the data and read of the data to be permitted; and
 - (4) causing no-access to be permitted,
- with respect to said prescribed data area in every said task.

23. A memory address space extension device as claimed in claim 7, wherein said definition table defines any one of:

- (1) causing only write of the data to be permitted;
 - (2) causing read of the data to be permitted;
 - 5 (3) causing write of the data and read of the data to be permitted; and
 - (4) causing no-access to be permitted,
- with respect to said prescribed data area in every said task.

24. A memory address space extension device as claimed in claim 7, wherein said definition table defines any one of:

- (1) causing only write of the data to be permitted;
(2) causing read of the data to be permitted;
5 (3) causing write of the data and read of the data to be permitted; and
(4) causing no-access to be permitted,
with respect to said prescribed data area in every said task.

25. A memory address space extension device as claimed in claim 7, wherein said definition table defines any one of:

- (1) causing only write of the data to be permitted;
(2) causing read of the data to be permitted;
5 (3) causing write of the data and read of the data to be permitted; and
(4) causing no-access to be permitted,
with respect to said prescribed data area in every said task.

26. A memory address space extension device as claimed in claim 7, wherein said definition table defines any one of:

- (1) causing only write of the data to be permitted;
(2) causing read of the data to be permitted;
5 (3) causing write of the data and read of the data to be permitted; and
(4) causing no-access to be permitted,
with respect to said prescribed data area in every said task.

27. A memory address space extension device as claimed in claim 7, wherein said definition table defines any one of:

- (1) causing only write of the data to be permitted;
(2) causing read of the data to be permitted;
5 (3) causing write of the data and read of the data to be permitted; and
(4) causing no-access to be permitted,
with respect to said prescribed data area in every said task.

28. A memory address space extension device as claimed in claim 9, wherein there is further provided an interruption number generation means for generating interruption number with respect to interruption processing according to hardware.

29. A memory address space extension device as claimed in claim 12, wherein there is further provided an interruption number generation means for generating interruption number with respect to interruption processing according to hardware.

30. A memory address space extension device as claimed in claim 13, wherein there is further provided an interruption number generation means for generating interruption number with respect to interruption processing according to hardware.

31. A memory address space extension device as claimed in claim 14, wherein there is further provided an interruption number generation means for generating interruption number with respect to interruption processing according to hardware.

32. A memory address space extension device as claimed in claim 15, wherein there is further provided an interruption number generation means for generating interruption number with respect to interruption processing according to hardware.

33. A memory address space extension device as claimed in claim 16, wherein there is further provided an interruption number generation means for generating interruption number with respect to interruption processing according to hardware.

34. A memory address space extension device as claimed in claim 17, wherein there is further provided an interruption number generation means for generating interruption number with respect to interruption processing according to hardware.

35. A memory address space extension device as claimed in claim 18, wherein there is further provided an interruption number generation means for generating interruption number with respect to interruption processing according to hardware.

36. A memory address space extension device as claimed in claim 19, wherein there is further provided an interruption number generation means for generating interruption number with respect to interruption processing according to hardware.

37. A memory address space extension device as claimed in claim 20, wherein there is further provided an interruption number generation means for generating interruption number with respect to interruption processing according to hardware.

38. A memory address space extension device as claimed in claim 21, wherein there is further provided an interruption number generation means for generating interruption number with respect to interruption processing according to hardware.

39. A memory address space extension device as claimed in claim 22, wherein there is further provided an interruption number generation means for generating interruption number with respect to interruption processing according to hardware.

40. A memory address space extension device as claimed in claim 23, wherein there is further provided an interruption number generation means for generating interruption number with respect to interruption processing according to hardware.

41. A memory address space extension device as claimed in claim 24, wherein there is further provided an interruption number generation means for generating interruption number with respect to interruption processing according to hardware.

42. A memory address space extension device as claimed in claim 25, wherein there is further provided an interruption number generation means for generating interruption number with respect to interruption processing according to hardware.

43. A memory address space extension device as claimed in claim 26, wherein there is further provided an interruption number generation means for generating interruption number with respect to interruption processing according to hardware.

44. A memory address space extension device as claimed in claim 27, wherein there is further provided an interruption number generation means for generating interruption number with respect to interruption processing according to hardware.

45. A memory address space extension device as claimed in claim 9, wherein there is further provided an interruption number decoding means for decoding an interruption number from an interruption instruction with respect to said interruption instruction according to software.

46. A memory address space extension device as claimed in claim 12, wherein there is further provided an interruption number decoding means for decoding an interruption number from an interruption instruction with respect to said interruption instruction according to software.

47. A memory address space extension device as claimed in claim 13, wherein there is further provided an interruption number decoding means for decoding an interruption number from an interruption instruction with respect to said interruption instruction according to software.

48. A memory address space extension device as claimed in claim 14, wherein there is further provided an interruption number decoding means for decoding an interruption number from an interruption instruction with respect to said interruption instruction according to software.

49. A memory address space extension device as claimed in claim 15, wherein there is further provided an interruption number decoding means for decoding an interruption number from an interruption instruction with respect to said interruption instruction according to software.

50. A memory address space extension device as claimed in claim 16, wherein there is further provided an interruption number decoding means for decoding an interruption number from an interruption instruction with respect to said interruption instruction according to software.

51. A memory address space extension device as claimed in claim 17, wherein there is further provided an interruption number decoding means for decoding an interruption number from an interruption instruction with respect to said interruption instruction according to software.

52. A memory address space extension device as claimed in claim 18, wherein there is further provided an interruption number decoding means for decoding an interruption number from an interruption instruction with respect to said interruption instruction according to software.

53. A memory address space extension device as claimed in claim 19, wherein there is further provided an interruption number decoding means for decoding an interruption number from an interruption instruction with respect to said interruption instruction according to software.

54. A memory address space extension device as claimed in claim 20, wherein there is further provided an interruption number decoding means for decoding an interruption number from an interruption instruction with respect to said interruption instruction according to software.

55. A memory address space extension device as claimed in claim 21, wherein there is further provided an interruption number decoding means for decoding an interruption number from an interruption instruction with respect to said interruption instruction according to software.

56. A memory address space extension device as claimed in claim 22, wherein there is further provided an interruption number decoding means for decoding an interruption number from an interruption instruction with respect to said interruption instruction according to software.

57. A memory address space extension device as claimed in claim 23, wherein there is further provided an interruption number decoding means for decoding an interruption number from an interruption instruction with respect to said interruption instruction according to software.

58. A memory address space extension device as claimed in claim 24, wherein there is further provided an interruption number decoding means for decoding an interruption number from an interruption instruction with respect to said interruption instruction according to software.

59. A memory address space extension device as claimed in claim 25, wherein there is further provided an interruption number decoding means for decoding an interruption number from an interruption instruction with respect to said interruption instruction according to software.

60. A memory address space extension device as claimed in claim 26, wherein there is further provided an interruption number decoding means for decoding an interruption number from an interruption instruction with respect to said interruption instruction according to software.

61. A memory address space extension device as claimed in claim 27, wherein there is further provided an interruption number decoding means for decoding an interruption number from an interruption instruction with respect to said interruption instruction according to software.

62. A memory address space extension device as claimed in claim 28, wherein there is further provided an interruption number decoding means for decoding an interruption number from an interruption instruction with respect to said interruption instruction according to software.

63. A memory address space extension device as claimed in claim 29, wherein there is further provided an interruption number decoding means for decoding an interruption number from an interruption instruction with respect to said interruption instruction according to software.

64. A memory address space extension device as claimed in claim 30, wherein there is further provided an interruption number decoding means for decoding an interruption number from an interruption instruction with respect to said interruption instruction according to software.

65. A memory address space extension device as claimed in claim 31, wherein there is further provided an interruption number decoding means for decoding an interruption number from an interruption instruction with respect to said interruption instruction according to software.

66. A memory address space extension device as claimed in claim 32, wherein there is further provided an interruption number decoding means for decoding an interruption number from an interruption instruction with respect to said interruption instruction according to software.

67. A memory address space extension device as claimed in claim 33, wherein there is further provided an interruption number decoding means for decoding an interruption number from an interruption instruction with respect to said interruption instruction according to software.

68. A memory address space extension device as claimed in claim 34, wherein there is further provided an interruption number decoding means for decoding an interruption number from an interruption instruction with respect to said interruption instruction according to software.

69. A memory address space extension device as claimed in claim 35, wherein there is further provided an interruption number decoding means for decoding an interruption number from an interruption instruction with respect to said interruption instruction according to software.

70. A memory address space extension device as claimed in claim 36, wherein there is further provided an interruption number decoding means for decoding an interruption number from an interruption instruction with respect to said interruption instruction according to software.

71. A memory address space extension device as claimed in claim 37, wherein there is further provided an interruption number decoding means for decoding an interruption number from an interruption instruction with respect to said interruption instruction according to software.

72. A memory address space extension device as claimed in claim 38, wherein there is further provided an interruption number decoding means for decoding an interruption number from an interruption instruction with respect to said interruption instruction according to software.

73. A memory address space extension device as claimed in claim 39, wherein there is further provided an interruption number decoding means for decoding an interruption number from an interruption instruction with respect to said interruption instruction according to software.

74. A memory address space extension device as claimed in claim 40, wherein there is further provided an interruption number decoding means for decoding an interruption number from an interruption instruction with respect to said interruption instruction according to software.

75. A memory address space extension device as claimed in claim 41, wherein there is further provided an interruption number decoding means for decoding an interruption number from an interruption instruction with respect to said interruption instruction according to software.

76. A memory address space extension device as claimed in claim 42, wherein there is further provided an interruption number decoding means for decoding an interruption number from an interruption instruction with respect to said interruption instruction according to software.

77. A memory address space extension device as claimed in claim 43, wherein there is further provided an interruption number decoding means for decoding an interruption number from an interruption instruction with respect to said interruption instruction according to software.

78. A memory address space extension device as claimed in claim 44, wherein there is further provided an interruption number decoding means for decoding an interruption number from an interruption instruction with respect to said interruption instruction according to software.

79. A memory address space extension device as claimed in claim 7, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory having the extended address converted previously wherein said address operational means causes said CPU address to be converted into the extended address when said task is permitted to access to said data area according to said access right judgement means, before said memory with extended address supports said address operational means.

80. A memory address space extension device as claimed in claim 8, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory

5 having the extended address converted previously wherein said address operational means causes said CPU address to be converted into the extended address when said task is permitted to access to said data area according to said access right judgement means, before said memory with extended address supports said address operational means.

81. A memory address space extension device as claimed in claim 9, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory having the extended address converted previously wherein said address operational means causes said CPU address to be converted into the extended address when said task is permitted to access to said data area according to said access right judgement means, before said memory with extended address supports said address operational means.

82. A memory address space extension device as claimed in claim 10, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory having the extended address converted previously wherein said address operational means causes said CPU address to be converted into the extended address when said task is permitted to access to said data area according to said access right judgement means, before said memory with extended address supports said address operational means.

83. A memory address space extension device as claimed in claim 11, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory having the extended address converted previously wherein said address operational means causes said CPU address to be converted into the extended address when said task is permitted to access to said data area

according to said access right judgement means, before said memory with extended address supports said address operational means.

84. A memory address space extension device as claimed in claim 12, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory having the extended address converted previously wherein said address operational means causes said CPU address to be converted into the extended address when said task is permitted to access to said data area according to said access right judgement means, before said memory with extended address supports said address operational means.

85. A memory address space extension device as claimed in claim 13, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory having the extended address converted previously wherein said address operational means causes said CPU address to be converted into the extended address when said task is permitted to access to said data area according to said access right judgement means, before said memory with extended address supports said address operational means.

86. A memory address space extension device as claimed in claim 14, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory having the extended address converted previously wherein said address operational means causes said CPU address to be converted into the extended address when said task is permitted to access to said data area according to said access right judgement means, before said memory with extended address supports said address operational means.

87. A memory address space extension device as claimed in claim 15, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the extended address when said task is permitted to access to said data area according to said access right judgement means, before said memory with extended address supports said address operational means.

88. A memory address space extension device as claimed in claim 16, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the extended address when said task is permitted to access to said data area according to said access right judgement means, before said memory with extended address supports said address operational means.

89. A memory address space extension device as claimed in claim 17, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the extended address when said task is permitted to access to said data area according to said access right judgement means, before said memory with extended address supports said address operational means.

90. A memory address space extension device as claimed in claim 18, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory

having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the
extended address when said task is permitted to access to said data area
according to said access right judgement means, before said memory with
extended address supports said address operational means.

91. A memory address space extension device as claimed in claim
19, wherein there is further provided an address operational means for
converting the CPU address into the extended address, and a memory
having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the
extended address when said task is permitted to access to said data area
according to said access right judgement means, before said memory with
extended address supports said address operational means.

92. A memory address space extension device as claimed in claim
20, wherein there is further provided an address operational means for
converting the CPU address into the extended address, and a memory
having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the
extended address when said task is permitted to access to said data area
according to said access right judgement means, before said memory with
extended address supports said address operational means.

93. A memory address space extension device as claimed in claim
21, wherein there is further provided an address operational means for
converting the CPU address into the extended address, and a memory
having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the
extended address when said task is permitted to access to said data area

according to said access right judgement means, before said memory with extended address supports said address operational means.

94. A memory address space extension device as claimed in claim 22, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the extended address when said task is permitted to access to said data area according to said access right judgement means, before said memory with extended address supports said address operational means.

95. A memory address space extension device as claimed in claim 23, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the extended address when said task is permitted to access to said data area according to said access right judgement means, before said memory with extended address supports said address operational means.

96. A memory address space extension device as claimed in claim 24, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the extended address when said task is permitted to access to said data area according to said access right judgement means, before said memory with extended address supports said address operational means.

97. A memory address space extension device as claimed in claim 25, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory having the extended address converted previously wherein said address operational means causes said CPU address to be converted into the extended address when said task is permitted to access to said data area according to said access right judgement means, before said memory with extended address supports said address operational means.

98. A memory address space extension device as claimed in claim 26, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory having the extended address converted previously wherein said address operational means causes said CPU address to be converted into the extended address when said task is permitted to access to said data area according to said access right judgement means, before said memory with extended address supports said address operational means.

99. A memory address space extension device as claimed in claim 27, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory having the extended address converted previously wherein said address operational means causes said CPU address to be converted into the extended address when said task is permitted to access to said data area according to said access right judgement means, before said memory with extended address supports said address operational means.

100. A memory address space extension device as claimed in claim 28, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory

having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the
extended address when said task is permitted to access to said data area
according to said access right judgement means, before said memory with
extended address supports said address operational means.

101. A memory address space extension device as claimed in
claim 29, wherein there is further provided an address operational means
for converting the CPU address into the extended address, and a memory
having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the
extended address when said task is permitted to access to said data area
according to said access right judgement means, before said memory with
extended address supports said address operational means.

102. A memory address space extension device as claimed in
claim 30, wherein there is further provided an address operational means
for converting the CPU address into the extended address, and a memory
having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the
extended address when said task is permitted to access to said data area
according to said access right judgement means, before said memory with
extended address supports said address operational means.

103. A memory address space extension device as claimed in
claim 31, wherein there is further provided an address operational means
for converting the CPU address into the extended address, and a memory
having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the
extended address when said task is permitted to access to said data area

according to said access right judgement means, before said memory with extended address supports said address operational means.

104. A memory address space extension device as claimed in claim 32, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the extended address when said task is permitted to access to said data area according to said access right judgement means, before said memory with extended address supports said address operational means.

105. A memory address space extension device as claimed in claim 33, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the extended address when said task is permitted to access to said data area according to said access right judgement means, before said memory with extended address supports said address operational means.

106. A memory address space extension device as claimed in claim 34, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the extended address when said task is permitted to access to said data area according to said access right judgement means, before said memory with extended address supports said address operational means.

107. A memory address space extension device as claimed in claim 35, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the extended address when said task is permitted to access to said data area according to said access right judgement means, before said memory with extended address supports said address operational means.

108. A memory address space extension device as claimed in claim 36, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the extended address when said task is permitted to access to said data area according to said access right judgement means, before said memory with extended address supports said address operational means.

109. A memory address space extension device as claimed in claim 37, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the extended address when said task is permitted to access to said data area according to said access right judgement means, before said memory with extended address supports said address operational means.

110. A memory address space extension device as claimed in claim 38, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory

having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the
extended address when said task is permitted to access to said data area
according to said access right judgement means, before said memory with
extended address supports said address operational means.

111. A memory address space extension device as claimed in
claim 39, wherein there is further provided an address operational means
for converting the CPU address into the extended address, and a memory
having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the
extended address when said task is permitted to access to said data area
according to said access right judgement means, before said memory with
extended address supports said address operational means.

112. A memory address space extension device as claimed in
claim 41, wherein there is further provided an address operational means
for converting the CPU address into the extended address, and a memory
having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the
extended address when said task is permitted to access to said data area
according to said access right judgement means, before said memory with
extended address supports said address operational means.

113. A memory address space extension device as claimed in
claim 42, wherein there is further provided an address operational means
for converting the CPU address into the extended address, and a memory
having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the
extended address when said task is permitted to access to said data area

according to said access right judgement means, before said memory with extended address supports said address operational means.

114. A memory address space extension device as claimed in claim 43, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the extended address when said task is permitted to access to said data area according to said access right judgement means, before said memory with extended address supports said address operational means.

115. A memory address space extension device as claimed in claim 44, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the extended address when said task is permitted to access to said data area according to said access right judgement means, before said memory with extended address supports said address operational means.

116. A memory address space extension device as claimed in claim 45, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the extended address when said task is permitted to access to said data area according to said access right judgement means, before said memory with extended address supports said address operational means.

117. A memory address space extension device as claimed in claim 46, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the extended address when said task is permitted to access to said data area according to said access right judgement means, before said memory with extended address supports said address operational means.

118. A memory address space extension device as claimed in claim 47, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the extended address when said task is permitted to access to said data area according to said access right judgement means, before said memory with extended address supports said address operational means.

119. A memory address space extension device as claimed in claim 48, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the extended address when said task is permitted to access to said data area according to said access right judgement means, before said memory with extended address supports said address operational means.

120. A memory address space extension device as claimed in claim 49, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory

having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the
extended address when said task is permitted to access to said data area
according to said access right judgement means, before said memory with
extended address supports said address operational means.

121. A memory address space extension device as claimed in
claim 50, wherein there is further provided an address operational means
for converting the CPU address into the extended address, and a memory
having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the
extended address when said task is permitted to access to said data area
according to said access right judgement means, before said memory with
extended address supports said address operational means.

122. A memory address space extension device as claimed in
claim 51, wherein there is further provided an address operational means
for converting the CPU address into the extended address, and a memory
having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the
extended address when said task is permitted to access to said data area
according to said access right judgement means, before said memory with
extended address supports said address operational means.

123. A memory address space extension device as claimed in
claim 52, wherein there is further provided an address operational means
for converting the CPU address into the extended address, and a memory
having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the
extended address when said task is permitted to access to said data area

according to said access right judgement means, before said memory with extended address supports said address operational means.

124. A memory address space extension device as claimed in claim 53, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the extended address when said task is permitted to access to said data area according to said access right judgement means, before said memory with extended address supports said address operational means.

125. A memory address space extension device as claimed in claim 54, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the extended address when said task is permitted to access to said data area according to said access right judgement means, before said memory with extended address supports said address operational means.

126. A memory address space extension device as claimed in claim 55, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the extended address when said task is permitted to access to said data area according to said access right judgement means, before said memory with extended address supports said address operational means.

127. A memory address space extension device as claimed in claim 56, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the extended address when said task is permitted to access to said data area according to said access right judgement means, before said memory with extended address supports said address operational means.

128. A memory address space extension device as claimed in claim 58, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the extended address when said task is permitted to access to said data area according to said access right judgement means, before said memory with extended address supports said address operational means.

129. A memory address space extension device as claimed in claim 59, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the extended address when said task is permitted to access to said data area according to said access right judgement means, before said memory with extended address supports said address operational means.

130. A memory address space extension device as claimed in claim 60, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory

having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the
extended address when said task is permitted to access to said data area
according to said access right judgement means, before said memory with
extended address supports said address operational means.

131. A memory address space extension device as claimed in
claim 61, wherein there is further provided an address operational means
for converting the CPU address into the extended address, and a memory
having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the
extended address when said task is permitted to access to said data area
according to said access right judgement means, before said memory with
extended address supports said address operational means.

132. A memory address space extension device as claimed in
claim 62, wherein there is further provided an address operational means
for converting the CPU address into the extended address, and a memory
having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the
extended address when said task is permitted to access to said data area
according to said access right judgement means, before said memory with
extended address supports said address operational means.

133. A memory address space extension device as claimed in
claim 63, wherein there is further provided an address operational means
for converting the CPU address into the extended address, and a memory
having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the
extended address when said task is permitted to access to said data area

according to said access right judgement means, before said memory with extended address supports said address operational means.

134. A memory address space extension device as claimed in claim 64, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the extended address when said task is permitted to access to said data area according to said access right judgement means, before said memory with extended address supports said address operational means.

135. A memory address space extension device as claimed in claim 65, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the extended address when said task is permitted to access to said data area according to said access right judgement means, before said memory with extended address supports said address operational means.

136. A memory address space extension device as claimed in claim 66, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the extended address when said task is permitted to access to said data area according to said access right judgement means, before said memory with extended address supports said address operational means.

137. A memory address space extension device as claimed in claim 67, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the extended address when said task is permitted to access to said data area according to said access right judgement means, before said memory with extended address supports said address operational means.

138. A memory address space extension device as claimed in claim 68, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the extended address when said task is permitted to access to said data area according to said access right judgement means, before said memory with extended address supports said address operational means.

139. A memory address space extension device as claimed in claim 69, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the extended address when said task is permitted to access to said data area according to said access right judgement means, before said memory with extended address supports said address operational means.

140. A memory address space extension device as claimed in claim 70, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory

having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the
extended address when said task is permitted to access to said data area
according to said access right judgement means, before said memory with
extended address supports said address operational means.

141. A memory address space extension device as claimed in
claim 71, wherein there is further provided an address operational means
for converting the CPU address into the extended address, and a memory
having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the
extended address when said task is permitted to access to said data area
according to said access right judgement means, before said memory with
extended address supports said address operational means.

142. A memory address space extension device as claimed in
claim 72, wherein there is further provided an address operational means
for converting the CPU address into the extended address, and a memory
having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the
extended address when said task is permitted to access to said data area
according to said access right judgement means, before said memory with
extended address supports said address operational means.

143. A memory address space extension device as claimed in
claim 73, wherein there is further provided an address operational means
for converting the CPU address into the extended address, and a memory
having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the
extended address when said task is permitted to access to said data area

according to said access right judgement means, before said memory with extended address supports said address operational means.

144. A memory address space extension device as claimed in claim 74, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the extended address when said task is permitted to access to said data area according to said access right judgement means, before said memory with extended address supports said address operational means.

145. A memory address space extension device as claimed in claim 75, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the extended address when said task is permitted to access to said data area according to said access right judgement means, before said memory with extended address supports said address operational means.

146. A memory address space extension device as claimed in claim 76, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the extended address when said task is permitted to access to said data area according to said access right judgement means, before said memory with extended address supports said address operational means.

147. A memory address space extension device as claimed in claim 77, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the extended address when said task is permitted to access to said data area according to said access right judgement means, before said memory with extended address supports said address operational means.

148. A memory address space extension device as claimed in claim 78, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the extended address when said task is permitted to access to said data area according to said access right judgement means, before said memory with extended address supports said address operational means.

149. A memory address space extension device as claimed in claim 79, wherein there is further provided an address operational means for converting the CPU address into the extended address, and a memory having the extended address converted previously wherein said address
5 operational means causes said CPU address to be converted into the extended address when said task is permitted to access to said data area according to said access right judgement means, before said memory with extended address supports said address operational means.

150. A storage medium storing therein a program in order to execute the processing of:

a definition table preparation processing for preparing said

definition table;

- 5 a reference processing for definition table which defines an access right of a task with respect to data area; and

 an access right judgement processing for judging whether or not it causes the access right for the data area requested by a task to be given to said task according to said definition table.

151. A storage medium storing therein a program as claimed in claim 150, wherein said reference processing for definition table is the reference processing that it causes the definition table defining whether or not said task possesses the access right for accessing prescribed data
5 area to be seen in every task ID given to said task.

152. A storage medium storing therein a program as claimed in claim 150, wherein said reference processing for definition table is the reference processing that it causes the definition table defining whether or not said task possesses the access right for accessing prescribed data
5 area to be seen in every task ID given to said task and / or in every interruption number given to the interruption processing.

153. A storage medium storing therein a program as claimed in claim 150, wherein said access right judgement processing judges whether or not said task possesses the access right for accessing prescribed data area according to said task ID and / or said data area ID
5 indicating the data area requested by said task.

154. A storage medium storing therein a program as claimed in claim 151, wherein said access right judgement processing judges whether or not said task possesses the access right for accessing prescribed data area according to said task ID and / or said data area ID

- 5 indicating the data area requested by said task.

155. A storage medium storing therein a program as claimed in claim 150, wherein said access right judgement processing judges whether or not said task possesses the access right for accessing prescribed data area according to any one of said task ID and said interruption processing number and / or said data area ID indicating the data area requested by said task.

156. A storage medium storing therein a program as claimed in claim 153, wherein said access right judgement processing judges whether or not said task possesses the access right for accessing prescribed data area according to any one of said task ID and said interruption processing number and / or said data area ID indicating the data area requested by said task.

157. A storage medium storing therein a program as claimed in claim 150, wherein said reference processing for definition table is the reference processing that it causes the definition table defining whether or not said task possesses the access right for accessing prescribed data area to be seen in every said task.

158. A storage medium storing therein a program as claimed in claim 151, wherein said reference processing for definition table is the reference processing that it causes the definition table defining whether or not said task possesses the access right for accessing prescribed data area to be seen in every said task.

159. A storage medium storing therein a program as claimed in claim 152, wherein said reference processing for definition table is the

reference processing that it causes the definition table defining whether or not said task possesses the access right for accessing prescribed data area to be seen in every said task.

160. A storage medium storing therein a program as claimed in claim 153, wherein said reference processing for definition table is the reference processing that it causes the definition table defining whether or not said task possesses the access right for accessing prescribed data area to be seen in every said task.

161. A storage medium storing therein a program as claimed in claim 154, wherein said reference processing for definition table is the reference processing that it causes the definition table defining whether or not said task possesses the access right for accessing prescribed data area to be seen in every said task.

162. A storage medium storing therein a program as claimed in claim 155, wherein said reference processing for definition table is the reference processing that it causes the definition table defining whether or not said task possesses the access right for accessing prescribed data area to be seen in every said task.

163. A storage medium storing therein a program as claimed in claim 156, wherein said reference processing for definition table is the reference processing that it causes the definition table defining whether or not said task possesses the access right for accessing prescribed data area to be seen in every said task.

164. A storage medium storing therein a program as claimed in claim 150, wherein said reference processing for definition table is the

reference processing that it causes any one of:

- 5 (1) allowing only write of the data to be permitted;
 - (2) allowing read of the data to be permitted;
 - (3) allowing write of the data and read of the data to be permitted;
- and
- (4) allowing no-access to be permitted,
- to be seen with respect to said prescribed data area in every said task.

165. A storage medium storing therein a program as claimed in claim 151, wherein said reference processing for definition table is the reference processing that it causes any one of:

- 5 (1) allowing only write of the data to be permitted;
 - (2) allowing read of the data to be permitted;
 - (3) allowing write of the data and read of the data to be permitted;
- and
- (4) allowing no-access to be permitted,
- to be seen with respect to said prescribed data area in every said task.

166. A storage medium storing therein a program as claimed in claim 152, wherein said reference processing for definition table is the reference processing that it causes any one of:

- 5 (1) allowing only write of the data to be permitted;
 - (2) allowing read of the data to be permitted;
 - (3) allowing write of the data and read of the data to be permitted;
- and
- (4) allowing no-access to be permitted,
- to be seen with respect to said prescribed data area in every said task.

167. A storage medium storing therein a program as claimed in claim 153, wherein said reference processing for definition table is the

reference processing that it causes any one of:

- (1) allowing only write of the data to be permitted;
 - 5 (2) allowing read of the data to be permitted;
 - (3) allowing write of the data and read of the data to be permitted;
 - and
 - (4) allowing no-access to be permitted,
- to be seen with respect to said prescribed data area in every said task.

168. A storage medium storing therein a program as claimed in claim 154, wherein said reference processing for definition table is the reference processing that it causes any one of:

- (1) allowing only write of the data to be permitted;
 - 5 (2) allowing read of the data to be permitted;
 - (3) allowing write of the data and read of the data to be permitted;
 - and
 - (4) allowing no-access to be permitted,
- to be seen with respect to said prescribed data area in every said task.

169. A storage medium storing therein a program as claimed in claim 155, wherein said reference processing for definition table is the reference processing that it causes any one of:

- (1) allowing only write of the data to be permitted;
 - 5 (2) allowing read of the data to be permitted;
 - (3) allowing write of the data and read of the data to be permitted;
 - and
 - (4) allowing no-access to be permitted,
- to be seen with respect to said prescribed data area in every said task.

170. A storage medium storing therein a program as claimed in claim 156, wherein said reference processing for definition table is the

reference processing that it causes any one of:

- (1) allowing only write of the data to be permitted;
 - 5 (2) allowing read of the data to be permitted;
 - (3) allowing write of the data and read of the data to be permitted;
- and
- (4) allowing no-access to be permitted,
- to be seen with respect to said prescribed data area in every said task.

171. A storage medium storing therein a program as claimed in claim 152, wherein said program further executes interruption number generation processing for generating interruption number to interruption processing according to hardware.

172. A storage medium storing therein a program as claimed in claim 155, wherein said program further executes interruption number generation processing for generating interruption number to interruption processing according to hardware.

173. A storage medium storing therein a program as claimed in claim 156, wherein said program further executes interruption number generation processing for generating interruption number to interruption processing according to hardware.

174. A storage medium storing therein a program as claimed in claim 157, wherein said program further executes interruption number generation processing for generating interruption number to interruption processing according to hardware.

175. A storage medium storing therein a program as claimed in claim 158, wherein said program further executes interruption number

176. A storage medium storing therein a program as claimed in claim 159, wherein said program further executes interruption number generation processing for generating interruption number to interruption processing according to hardware.

178. A storage medium storing therein a program as claimed in claim 161, wherein said program further executes interruption number generation processing for generating interruption number to interruption processing according to hardware.

180. A storage medium storing therein a program as claimed in claim 163, wherein said program further executes interruption number generation processing for generating interruption number to interruption processing according to hardware.

181. A storage medium storing therein a program as claimed in claim 164, wherein said program further executes interruption number

generation processing for generating interruption number to interruption processing according to hardware.

182. A storage medium storing therein a program as claimed in claim 165, wherein said program further executes interruption number generation processing for generating interruption number to interruption processing according to hardware.

183. A storage medium storing therein a program as claimed in claim 166, wherein said program further executes interruption number generation processing for generating interruption number to interruption processing according to hardware.

184. A storage medium storing therein a program as claimed in claim 167, wherein said program further executes interruption number generation processing for generating interruption number to interruption processing according to hardware.

185. A storage medium storing therein a program as claimed in claim 168, wherein said program further executes interruption number generation processing for generating interruption number to interruption processing according to hardware.

186. A storage medium storing therein a program as claimed in claim 169, wherein said program further executes interruption number generation processing for generating interruption number to interruption processing according to hardware.

187. A storage medium storing therein a program as claimed in claim 170, wherein said program further executes interruption number

generation processing for generating interruption number to interruption processing according to hardware.

188. A storage medium storing therein a program as claimed in claim 152, wherein said program further executes interruption number decoding processing for decoding interruption number from interruption instruction with respect to said interruption instruction according to software.

189. A storage medium storing therein a program as claimed in claim 155, wherein said program further executes interruption number decoding processing for decoding interruption number from interruption instruction with respect to said interruption instruction according to software.

190. A storage medium storing therein a program as claimed in claim 156, wherein said program further executes interruption number decoding processing for decoding interruption number from interruption instruction with respect to said interruption instruction according to software.

191. A storage medium storing therein a program as claimed in claim 157, wherein said program further executes interruption number decoding processing for decoding interruption number from interruption instruction with respect to said interruption instruction according to software.

192. A storage medium storing therein a program as claimed in claim 158, wherein said program further executes interruption number decoding processing for decoding interruption number from interruption

instruction with respect to said interruption instruction according to
5 software.

193. A storage medium storing therein a program as claimed in
claim 159, wherein said program further executes interruption number
decoding processing for decoding interruption number from interruption
instruction with respect to said interruption instruction according to
5 software.

194. A storage medium storing therein a program as claimed in
claim 160, wherein said program further executes interruption number
decoding processing for decoding interruption number from interruption
instruction with respect to said interruption instruction according to
5 software.

195. A storage medium storing therein a program as claimed in
claim 161, wherein said program further executes interruption number
decoding processing for decoding interruption number from interruption
instruction with respect to said interruption instruction according to
5 software.

196. A storage medium storing therein a program as claimed in
claim 162, wherein said program further executes interruption number
decoding processing for decoding interruption number from interruption
instruction with respect to said interruption instruction according to
5 software.

197. A storage medium storing therein a program as claimed in
claim 163, wherein said program further executes interruption number
decoding processing for decoding interruption number from interruption

instruction with respect to said interruption instruction according to
5 software.

198. A storage medium storing therein a program as claimed in
claim 164, wherein said program further executes interruption number
decoding processing for decoding interruption number from interruption
instruction with respect to said interruption instruction according to
5 software.

199. A storage medium storing therein a program as claimed in
claim 165, wherein said program further executes interruption number
decoding processing for decoding interruption number from interruption
instruction with respect to said interruption instruction according to
5 software.

200. A storage medium storing therein a program as claimed in
claim 166, wherein said program further executes interruption number
decoding processing for decoding interruption number from interruption
instruction with respect to said interruption instruction according to
5 software.

201. A storage medium storing therein a program as claimed in
claim 167, wherein said program further executes interruption number
decoding processing for decoding interruption number from interruption
instruction with respect to said interruption instruction according to
5 software.

202. A storage medium storing therein a program as claimed in
claim 168, wherein said program further executes interruption number
decoding processing for decoding interruption number from interruption

instruction with respect to said interruption instruction according to
5 software.

203. A storage medium storing therein a program as claimed in
claim 169, wherein said program further executes interruption number
decoding processing for decoding interruption number from interruption
instruction with respect to said interruption instruction according to
5 software.

204. A storage medium storing therein a program as claimed in
claim 170, wherein said program further executes interruption number
decoding processing for decoding interruption number from interruption
instruction with respect to said interruption instruction according to
5 software.

205. A storage medium storing therein a program as claimed in
claim 171, wherein said program further executes interruption number
decoding processing for decoding interruption number from interruption
instruction with respect to said interruption instruction according to
5 software.

206. A storage medium storing therein a program as claimed in
claim 172, wherein said program further executes interruption number
decoding processing for decoding interruption number from interruption
instruction with respect to said interruption instruction according to
5 software.

207. A storage medium storing therein a program as claimed in
claim 173, wherein said program further executes interruption number
decoding processing for decoding interruption number from interruption

instruction with respect to said interruption instruction according to
5 software.

208. A storage medium storing therein a program as claimed in
claim 174, wherein said program further executes interruption number
decoding processing for decoding interruption number from interruption
instruction with respect to said interruption instruction according to
5 software.

209. A storage medium storing therein a program as claimed in
claim 175, wherein said program further executes interruption number
decoding processing for decoding interruption number from interruption
instruction with respect to said interruption instruction according to
5 software.

210. A storage medium storing therein a program as claimed in
claim 176, wherein said program further executes interruption number
decoding processing for decoding interruption number from interruption
instruction with respect to said interruption instruction according to
5 software.

211. A storage medium storing therein a program as claimed in
claim 177, wherein said program further executes interruption number
decoding processing for decoding interruption number from interruption
instruction with respect to said interruption instruction according to
5 software.

212. A storage medium storing therein a program as claimed in
claim 178, wherein said program further executes interruption number
decoding processing for decoding interruption number from interruption

instruction with respect to said interruption instruction according to
5 software.

213. A storage medium storing therein a program as claimed in
claim 179, wherein said program further executes interruption number
decoding processing for decoding interruption number from interruption
instruction with respect to said interruption instruction according to
5 software.

214. A storage medium storing therein a program as claimed in
claim 180, wherein said program further executes interruption number
decoding processing for decoding interruption number from interruption
instruction with respect to said interruption instruction according to
5 software.

215. A storage medium storing therein a program as claimed in
claim 181, wherein said program further executes interruption number
decoding processing for decoding interruption number from interruption
instruction with respect to said interruption instruction according to
5 software.

216. A storage medium storing therein a program as claimed in
claim 182, wherein said program further executes interruption number
decoding processing for decoding interruption number from interruption
instruction with respect to said interruption instruction according to
5 software.

217. A storage medium storing therein a program as claimed in
claim 183, wherein said program further executes interruption number
decoding processing for decoding interruption number from interruption

instruction with respect to said interruption instruction according to
5 software.

218. A storage medium storing therein a program as claimed in
claim 184, wherein said program further executes interruption number
decoding processing for decoding interruption number from interruption
instruction with respect to said interruption instruction according to
5 software.

219. A storage medium storing therein a program as claimed in
claim 185, wherein said program further executes interruption number
decoding processing for decoding interruption number from interruption
instruction with respect to said interruption instruction according to
5 software.

220. A storage medium storing therein a program as claimed in
claim 186, wherein said program further executes interruption number
decoding processing for decoding interruption number from interruption
instruction with respect to said interruption instruction according to
5 software.

221. A storage medium storing therein a program as claimed in
claim 187, wherein said program further executes interruption number
decoding processing for decoding interruption number from interruption
instruction with respect to said interruption instruction according to
5 software.

222. A storage medium storing therein a program as claimed in
claim 150, wherein said program executes an address operational
processing in order to convert a CPU address into an extended address in

5 such a way that said address operational processing causes said CPU address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to said access right judgement processing, before executing supporting processing by said memory with the extended address.

223. A storage medium storing therein a program as claimed in claim 151, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to said access right judgement processing, before executing supporting processing by said memory with the extended address.

224. A storage medium storing therein a program as claimed in claim 152, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to said access right judgement processing, before executing supporting processing by said memory with the extended address.

225. A storage medium storing therein a program as claimed in claim 153, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to

said access right judgement processing, before executing supporting processing by said memory with the extended address.

226. A storage medium storing therein a program as claimed in claim 154, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to said access right judgement processing, before executing supporting processing by said memory with the extended address.

227. A storage medium storing therein a program as claimed in claim 155, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to said access right judgement processing, before executing supporting processing by said memory with the extended address.

228. A storage medium storing therein a program as claimed in claim 156, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to said access right judgement processing, before executing supporting processing by said memory with the extended address.

229. A storage medium storing therein a program as claimed in claim 157, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to said access right judgement processing, before executing supporting processing by said memory with the extended address.

230. A storage medium storing therein a program as claimed in claim 158, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to said access right judgement processing, before executing supporting processing by said memory with the extended address.

231. A storage medium storing therein a program as claimed in claim 159, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to said access right judgement processing, before executing supporting processing by said memory with the extended address.

232. A storage medium storing therein a program as claimed in claim 160, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in

5 such a way that said address operational processing causes said CPU address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to said access right judgement processing, before executing supporting processing by said memory with the extended address.

233. A storage medium storing therein a program as claimed in claim 161, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in such a way that said address operational processing causes said CPU address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to said access right judgement processing, before executing supporting processing by said memory with the extended address.

234. A storage medium storing therein a program as claimed in claim 162, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in such a way that said address operational processing causes said CPU address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to said access right judgement processing, before executing supporting processing by said memory with the extended address.

235. A storage medium storing therein a program as claimed in claim 163, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in such a way that said address operational processing causes said CPU address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to

said access right judgement processing, before executing supporting processing by said memory with the extended address

236. A storage medium storing therein a program as claimed in claim 164, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in such a way that said address operational processing causes said CPU address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to said access right judgement processing, before executing supporting processing by said memory with the extended address.

237. A storage medium storing therein a program as claimed in claim 165, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in such a way that said address operational processing causes said CPU address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to said access right judgement processing, before executing supporting processing by said memory with the extended address.

238. A storage medium storing therein a program as claimed in claim 166, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in such a way that said address operational processing causes said CPU address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to said access right judgement processing, before executing supporting processing by said memory with the extended address.

239. A storage medium storing therein a program as claimed in claim 167, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to said access right judgement processing, before executing supporting processing by said memory with the extended address.

240. A storage medium storing therein a program as claimed in claim 168, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to said access right judgement processing, before executing supporting processing by said memory with the extended address.

241. A storage medium storing therein a program as claimed in claim 169, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to said access right judgement processing, before executing supporting processing by said memory with the extended address.

242. A storage medium storing therein a program as claimed in claim 170, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in

such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is
judged that said task is permitted to access to said data area according to
said access right judgement processing, before executing supporting
processing by said memory with the extended address.

243. A storage medium storing therein a program as claimed in
claim 171, wherein said program executes an address operational
processing in order to convert a CPU address into an extended address in
such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is
judged that said task is permitted to access to said data area according to
said access right judgement processing, before executing supporting
processing by said memory with the extended address.

244. A storage medium storing therein a program as claimed in
claim 172, wherein said program executes an address operational
processing in order to convert a CPU address into an extended address in
such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is
judged that said task is permitted to access to said data area according to
said access right judgement processing, before executing supporting
processing by said memory with the extended address.

245. A storage medium storing therein a program as claimed in
claim 173, wherein said program executes an address operational
processing in order to convert a CPU address into an extended address in
such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is
judged that said task is permitted to access to said data area according to

said access right judgement processing, before executing supporting processing by said memory with the extended address.

246. A storage medium storing therein a program as claimed in claim 174, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to said access right judgement processing, before executing supporting processing by said memory with the extended address.

247. A storage medium storing therein a program as claimed in claim 175, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to said access right judgement processing, before executing supporting processing by said memory with the extended address.

248. A storage medium storing therein a program as claimed in claim 176, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to said access right judgement processing, before executing supporting processing by said memory with the extended address.

249. A storage medium storing therein a program as claimed in claim 177, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to said access right judgement processing, before executing supporting processing by said memory with the extended address.

250. A storage medium storing therein a program as claimed in claim 178, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to said access right judgement processing, before executing supporting processing by said memory with the extended address.

251. A storage medium storing therein a program as claimed in claim 179, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to said access right judgement processing, before executing supporting processing by said memory with the extended address.

252. A storage medium storing therein a program as claimed in claim 180, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in

such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is
judged that said task is permitted to access to said data area according to
said access right judgement processing, before executing supporting
processing by said memory with the extended address.

253. A storage medium storing therein a program as claimed in
claim 181, wherein said program executes an address operational
processing in order to convert a CPU address into an extended address in
such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is
judged that said task is permitted to access to said data area according to
said access right judgement processing, before executing supporting
processing by said memory with the extended address.

254. A storage medium storing therein a program as claimed in
claim 182, wherein said program executes an address operational
processing in order to convert a CPU address into an extended address in
such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is
judged that said task is permitted to access to said data area according to
said access right judgement processing, before executing supporting
processing by said memory with the extended address.

255. A storage medium storing therein a program as claimed in
claim 183, wherein said program executes an address operational
processing in order to convert a CPU address into an extended address in
such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is
judged that said task is permitted to access to said data area according to

said access right judgement processing, before executing supporting processing by said memory with the extended address.

256. A storage medium storing therein a program as claimed in claim 184, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to said access right judgement processing, before executing supporting processing by said memory with the extended address.

257. A storage medium storing therein a program as claimed in claim 185, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to said access right judgement processing, before executing supporting processing by said memory with the extended address.

258. A storage medium storing therein a program as claimed in claim 186, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to said access right judgement processing, before executing supporting processing by said memory with the extended address.

259. A storage medium storing therein a program as claimed in claim 187, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to said access right judgement processing, before executing supporting processing by said memory with the extended address.

260. A storage medium storing therein a program as claimed in claim 188, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to said access right judgement processing, before executing supporting processing by said memory with the extended address.

261. A storage medium storing therein a program as claimed in claim 189, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to said access right judgement processing, before executing supporting processing by said memory with the extended address.

262. A storage medium storing therein a program as claimed in claim 190, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in

such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is
judged that said task is permitted to access to said data area according to
said access right judgement processing, before executing supporting
processing by said memory with the extended address.

263. A storage medium storing therein a program as claimed in
claim 191, wherein said program executes an address operational
processing in order to convert a CPU address into an extended address in
such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is
judged that said task is permitted to access to said data area according to
said access right judgement processing, before executing supporting
processing by said memory with the extended address.

264. A storage medium storing therein a program as claimed in
claim 192, wherein said program executes an address operational
processing in order to convert a CPU address into an extended address in
such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is
judged that said task is permitted to access to said data area according to
said access right judgement processing, before executing supporting
processing by said memory with the extended address.

265. A storage medium storing therein a program as claimed in
claim 193, wherein said program executes an address operational
processing in order to convert a CPU address into an extended address in
such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is
judged that said task is permitted to access to said data area according to

said access right judgement processing, before executing supporting processing by said memory with the extended address.

266. A storage medium storing therein a program as claimed in claim 194, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to said access right judgement processing, before executing supporting processing by said memory with the extended address.

267. A storage medium storing therein a program as claimed in claim 195, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to said access right judgement processing, before executing supporting processing by said memory with the extended address.

268. A storage medium storing therein a program as claimed in claim 196, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to said access right judgement processing, before executing supporting processing by said memory with the extended address.

269. A storage medium storing therein a program as claimed in claim 197, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to said access right judgement processing, before executing supporting processing by said memory with the extended address.

270. A storage medium storing therein a program as claimed in claim 198, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to said access right judgement processing, before executing supporting processing by said memory with the extended address.

271. A storage medium storing therein a program as claimed in claim 199, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to said access right judgement processing, before executing supporting processing by said memory with the extended address.

272. A storage medium storing therein a program as claimed in claim 200, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in

5 such a way that said address operational processing causes said CPU address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to said access right judgement processing, before executing supporting processing by said memory with the extended address.

273. A storage medium storing therein a program as claimed in claim 201, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in such a way that said address operational processing causes said CPU address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to said access right judgement processing, before executing supporting processing by said memory with the extended address.

274. A storage medium storing therein a program as claimed in claim 202, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in such a way that said address operational processing causes said CPU address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to said access right judgement processing, before executing supporting processing by said memory with the extended address.

275. A storage medium storing therein a program as claimed in claim 203, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in such a way that said address operational processing causes said CPU address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to

said access right judgement processing, before executing supporting processing by said memory with the extended address.

276. A storage medium storing therein a program as claimed in claim 204, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to said access right judgement processing, before executing supporting processing by said memory with the extended address.

277. A storage medium storing therein a program as claimed in claim 205, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to said access right judgement processing, before executing supporting processing by said memory with the extended address.

278. A storage medium storing therein a program as claimed in claim 206, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to said access right judgement processing, before executing supporting processing by said memory with the extended address.

279. A storage medium storing therein a program as claimed in claim 207, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to said access right judgement processing, before executing supporting processing by said memory with the extended address.

280. A storage medium storing therein a program as claimed in claim 208, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to said access right judgement processing, before executing supporting processing by said memory with the extended address.

281. A storage medium storing therein a program as claimed in claim 209, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to said access right judgement processing, before executing supporting processing by said memory with the extended address.

282. A storage medium storing therein a program as claimed in claim 210, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in

such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is
judged that said task is permitted to access to said data area according to
said access right judgement processing, before executing supporting
processing by said memory with the extended address.

283. A storage medium storing therein a program as claimed in
claim 211, wherein said program executes an address operational
processing in order to convert a CPU address into an extended address in
such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is
judged that said task is permitted to access to said data area according to
said access right judgement processing, before executing supporting
processing by said memory with the extended address.

284. A storage medium storing therein a program as claimed in
claim 212, wherein said program executes an address operational
processing in order to convert a CPU address into an extended address in
such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is
judged that said task is permitted to access to said data area according to
said access right judgement processing, before executing supporting
processing by said memory with the extended address.

285. A storage medium storing therein a program as claimed in
claim 213, wherein said program executes an address operational
processing in order to convert a CPU address into an extended address in
such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is
judged that said task is permitted to access to said data area according to

said access right judgement processing, before executing supporting processing by said memory with the extended address.

286. A storage medium storing therein a program as claimed in claim 214, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in such a way that said address operational processing causes said CPU address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to said access right judgement processing, before executing supporting processing by said memory with the extended address.

287. A storage medium storing therein a program as claimed in claim 215, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in such a way that said address operational processing causes said CPU address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to said access right judgement processing, before executing supporting processing by said memory with the extended address.

288. A storage medium storing therein a program as claimed in claim 216, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in such a way that said address operational processing causes said CPU address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to said access right judgement processing, before executing supporting processing by said memory with the extended address.

289. A storage medium storing therein a program as claimed in claim 217, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to said access right judgement processing, before executing supporting processing by said memory with the extended address.

290. A storage medium storing therein a program as claimed in claim 218, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to said access right judgement processing, before executing supporting processing by said memory with the extended address.

291. A storage medium storing therein a program as claimed in claim 219, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to said access right judgement processing, before executing supporting processing by said memory with the extended address.

292. A storage medium storing therein a program as claimed in claim 220, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in


5 such a way that said address operational processing causes said CPU address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to said access right judgement processing, before executing supporting processing by said memory with the extended address.

293. A storage medium storing therein a program as claimed in claim 221, wherein said program executes an address operational processing in order to convert a CPU address into an extended address in such a way that said address operational processing causes said CPU
5 address to be converted into said extended address when said task is judged that said task is permitted to access to said data area according to said access right judgement processing, before executing supporting processing by said memory with the extended address.

ABSTRACT OF THE DISCLOSURE

A memory address space extension device enables rewrite of data area caused by wrong access from the task to be prevented. A data area access right definition table is provided in a cache. The data area access
5 right definition table defines whether or not a task (or interruption processing) during execution is permitted to access to a data area. An address operational unit extracts data area ID from a CPU address inputted from a CPU 1. A register bank control unit refers to above described definition table within the cache. The register bank control
10 unit judges the access right of the task for the data area from both of a task ID (or interruption number of an interruption processing) of the task during execution stored in the ID register, and the data area ID extracted previously. When the access right is not permitted, system error occurs, while when the access right is permitted, processing for converting
15 above-described CPU address into an extended address is implemented.

F I G. 2



F I G. 3

REGISTER BANK SELECTION TABLE 10

DATA AREA ID	BANK NUMBER

[illegible]

11

X -----IN-PERMISSIBLE
O -----PERMISSIBLE

	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100	2101	2102	2103	2104	2105	2106	2107	2108	2109	2110	2111	2112	2113	2114	2115	2116	2117	2118	2119	2120	2121	2122	2123	2124	2125	2126	2127	2128	2129	2130	2131	2132	2133	2134	2135	2136	2137	2138	2139	2140	2141	2142	2143	2144	2145	2146	2147	2148	2149	2150	2151	2152	2153	2154	2155	2156	2157	2158	2159	2160	2161	2162	2163	2164	2165	2166	2167	2168	2169	2170	2171	2172	2173	2174	2175	2176	2177	2178	2179	2180	2181	2182	2183	2184	2185	2186	2187	2188	2189	2190	2191	2192	2193	2194	2195	2196	2197	2198	2199	2200	2201	2202	2203	2204	2205	2206	2207	2208	2209	2210	2211	2212	2213	2214	2215	2216	2217	2218	2219	2220	2221	2222	2223	2224	2225	2226	2227	2228	2229	2230	2231	2232	2233	2234	2235	2236	2237	2238	2239	2240	2241	2242	2243	2244	2245	2246	2247	2248	2249	2250	2251	2252	2253	2254	2255	2256	2257	2258	2259	2260	2261	2262	2263	2264	2265	2266	2267	2268	2269	2270	2271	2272	2273	2274	2275	2276	2277	2278	2279	2280	2281	2282	2283	2284	2285	2286	2287	2288	2289	2290	2291	2292	2293	2294	2295	2296	2297	2298	2299	2300	2301	2302	2303	2304	2305	2306	2307	2308	2309	2310	2311	2312	2313	2314	2315	2316	2317	2318	2319	2320	2321	2322	2323	2324	2325	2326	2327	2328	2329	2330	2331	2332	2333	2334	2335	2336	2337	2338	2339	2340	2341	2342	2343	2344	2345	2346	2347	2348	2349	2350	2351	2352	2353	2354	2355	2356	2357	2358	2359	2360	2361	2362	2363	2364	2365	2366	2367	2368	2369	2370	2371	2372	2373	2374	2375	2376	2377	2378	2379	2380	2381	2382	2383	2384	2385	2386	2387	2388	2389	2390	2391	2392	2393	2394	2395	2396	2397	2398	2399	2400	2401	2402	2403	2404	2405	2406	2407	2408	2409	2410	2411	2412	2413	2414	2415	2416	2417	2418	2419	2420	2421	2422	2423	2424	2425	2426	2427	2428	2429	2430	2431	2432	2
--	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	---




FIG. 6

DATA AREA ACCESS RIGHT DEFINITION TABLE

11

TASK ID	AREA A	AREA B	AREA C		
1	RW	X	RW		
2	R	R	R		
3	X	W	X		
4	X	X	R		

R--- READABLE, IN-WRITABLE,
 W--- IN-READABLE, WRITABLE,
 RW--- READABLE, WRITABLE,
 X--- IN-READABLE, IN-WRITABLE

FIG. 7




FIG. 8

DATA AREA ACCESS RIGHT DEFINITION TABLE

81

TASK ID OR INTERRUPTION NUMBER	AREA A	AREA B	AREA C		
1	O	X	O		
2	O	X	X		
3	X	O	X		
101	O	X	O		
102	O	O	O		
103	X	O	X		
104	X	X	O		

FIG. 9

DATA AREA ACCESS RIGHT DEFINITION TABLE

91

TASK ID OR INTERRUPTION NUMBER	AREA A	AREA B	AREA C		
1	R	X	R		
2	RW	X	X		
3	X	W	X		
101	RW	X	RW		
102	R	R	R		
103	X	W	X		
104	X	X	R		

FIG. 10




FIG. 11

